ecification of Ambulance

nil	al Specification	Required Specification	Offered Specification
	General	Hard Top Jeep, 4WD, Right Hand Drive model suitable for driving in Nepal. Gross vehicle weight of the vehicle shall not less than 2400 Kg and shall have seating capacity for at least driver, co-passenger and patient.	Make : Model : Origen of Country:
1	Engine	Diesel Engine, developing maximum rated power output not less than 60 BHP & maximum torque not less than 110 NM at governed RPM, Engine Displacement not less than 2400CC	
_	Wheel Base	Not more than 2800mm	
_	Overall	Not more than 4500mm	
	Length		
_	Emission Standard	The Emission standard of the vehicle should comply with the latest "Vehicle Mass Emission Standard" of Nepal which is to be certified by Department of Transport Management Nepal.	
_	Gauges	To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance.	
-	Clutch	Single Dry Plate	
-	Transmission	Manual shift at 5 forward and one reverse, floor mounted engaged through control at driver seat.	
	Ground Clearance	Minimum 165 mm	
	Suspension	Leaf Springs/ coil springs/ torsion bar/ shock absorbers at front and rear.	
	Tyres	Standard Size	
-	Steering	Power Steering	
	Brakes	Front Ventilated Disc type, rear disc/ drum type, nydraunc operated on all wheels, and parking brake dual circuit	
	Cab	preferred. 2 side doors and 1 back door, all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Sun visor, rear view mirror and two side view mirror.	
	Chassis & Frame	Heavy duty metal frame	I
	Essential Accessories	1. Head light, tail and rear light, reversing light and turn signals. 2. Cabin Lights. 3. Speedometer/ Odometer. 4. One Spare wheel with tyre and tube. 5. Suitable jack and handle. 6. Seat belt for driver and co-driver. 7. Flashing Light on top (As per Nepal Standard) 8. Anti- Skid floor Equipped with all accessories offered in the standard model but not limited to the above items.	Ginoet

Garage Control of the Control of the

	aency	1.Stethoscope
V	Emergency	2.B. P. Set
	Equipment	3.Torch Light
		4.Tongue Depressure
		5. Drips
		6.Cannula and Syringes
		7.ECG Monitor and Oxygen Monitor
		8.Intubation Set
		9. Various Intubation Tubes and Laryngeal Tubes
		10.Nebulizer Set
		11.Ambu Bag
		12Manual Suction Set
	1	13.Cervical Collars
	1	14.CPR Board
		15. Oxygen Supply
		16. Automated External Defibrillator (AED)
		17. Delivery Sets
		18.Dressing Sets
		19.Splints
		20.Catheterizations Sets
		21.Haemostatic Sets
		22. Siren
		23. Saline Stand
-	Others	According to B class type Ambulance Accessories
-	Instructions	All signs and instructions in the vehicle shall be in English.
-	Manuals	The state of the s
	Manuais	One Copy of the Operator's and Owner of maintenance manual in English shall be supplied with the
		vehicle.
	Tools	A set of tools as required for general manner
	10015	supplied. 2/3 Outer body portion yellow & remaining left/right green &
	Colour	2/3 Outer body portion yellow & remaining
	1	2/3 Outer body portion years and design red in Battenberg or chess board design red in Battenberg or chess board design annufactured in 2022 or
	Production	red in Battenberg or chess board design Vehicle should be of Current model manufactured in 2022 or
		nds
		Manufacturer shall provide a minimum of One year or 20,000 Manufacturer shall provide a minimum of One year or 20,000
	Warranty	Manufacturer shall provide a stranger acceptance.
		km which ever carried by the delivered to. Tarkes
	Delivery	The I Unit Ambulance share
		Municipality, Kathmandu
	\cap	The 1 Unit Ambulance shall be delivered to the Municipality, Kathmandu Municipality, Kathmandu Overnments by the Control of
	/////	and a little and an and an and an and an
	[] , /	acha.
	1/6/	

Name: Rajendra Kumar Dangol

Designation : Mechanical Engineer Office : Department of Plant Resources

Signature :



est Estimate for the purchase of Ambulance

major technical specification of the Ambulance that is intended to be purchased by Tarkeshor Municipality

- 1 Engine volume not less than 2400CC.
- 2. Power output at governed RPM: Not less than 60 BHP
- 3. Torque output at governed RPM: Not less than 110 NM at governed RPM
- 4. Manual shift at least five forward and one reverse, floor mounted...
- 5. Warranty : Minimum 1 year warranty
- 6. Emergency Equipment: According to B class type Ambulance Accessories and Others

sed on the past experiences of procurement and enquires recently made with suppliers, the cost of the Ambular ended to be purchased having above technical specification is estimated as below:

N.	Description	Quantity	(Including VAT)	Remarks
	Ambulance	1 Unit	25,00,000/-(In The Word Rs. Twenty Five Lakh Only	Estimate

overnme by of Forman

Prepared by Rajendra Kumar Dangol Mechanical Engineer Department of Plant Resource



Mechanical Engineer